

# LIP-3333ECTC

CEA-709/IP router

## Installation instructions

Instructions de montage


Instruzioni di montaggio


Montageanweisung

Instrucciones de montaje

Montagevoorschrift


Monteringsanvisning






Connectors		
POWER	1 2	Power supply input GND Power supply input PLUS
CEA-709	6	not connected (NC)
TP/FT-10	7	Input B
PORT 1	8	Input A
CEA-709	9	not connected (NC)
TP/FT-10	10	Input B
PORT 2	11	Input A
CEA-709	12	not connected (NC)
TP/FT-10	13	Input B
PORT 3	14	Input A
CEA-709	15	not connected (NC)
TP/FT-10	16	Input B
PORT 4	17	Input A


Connectors		
USB1	USB-A	USB Device
USB2	USB-A	USB Device
Ethernet1	RJ45	10/100Base-T
Ethernet2	RJ45	10/100Base-T
Buttons		
RESET	Reset	
DIAL	Turn-and-Push Dial	



Weidmüller  
 2 poles: BLZP 5.08/02/180  
 3 poles: BLZP 5.08/03/180  
 4.5 lb-in/0.5 Nm

Weidmüller  
 BLZB 5.08  
 0.2 - 2.5 mm<sup>2</sup>





STATUS LEDs		
FT	GREEN flashing fast	Traffic on CEA-709 port
	GREEN flashing 1 Hz	Not commissioned
	RED permanent	CEA-709 port damaged
	RED flashing fast	CEA-709 traffic overload

Please update the firmware of the device first,  
 see [www.loytec.com](http://www.loytec.com)

User: admin  
 Password: loytec4u

35 mm x 7.5 mm DIN rail (EN 50022, BS 5584, DIN 46277-3)

